

ODŚNIEŻANIE CHODNIKÓW - OBWÓD DROGOWY KOZIEGŁOWY

Lokalizacja	Strona	Długość m	Szerokość m	Powierzchnia m2
DK-1				
m. Wrzosowa				
482+390 - 482+394	SP	4	5	20,0
482+389 - 482+404	SL	15	2,5	37,5
482+876 - 482+938	SL	88	2,5	155,0
482+976	kładka dla pieszych	x	x	1 000,0
m. Nowa Wieś				
484+312 - 484+322	SP	15	2	20,0
483+966 - 484+318	SL	365	1,5 - 3,5	569,5
m. Poczesna				
486+705 - 486+709	SP	15	3,7	14,8
486+672 - 486+709	SL	45	1,5 - 3,7	155,8
m. Kolonia Poczesna				
487+729 - 487+889	SP	151	2	302,0
488+240 - 488+372	SP	132	2	264,0
487+900 - 487+926	SL	26	2,5 - 7	92,0
488+032 - 488+242	SL	198	1,5	297,0
m. Kolonia Poczesna - m. Wanaty				
488+372 - 488+773	SP	401	2	802,0
488+424 - 489+490	SL	1 248	2	2 496,0
m. Wanaty				
488+773 - 490+027	SP	1 236	2	2 488,0
489+513 - 490+152	SL	642	2	1 278,0
m. Siedlec Duży				
496+930 - 496+952	SP	36	2,2	48,4
496+895 - 496+970	SL	71	2,2	165,0
m. Koziegłowy				
500+698 - 500+721	SP	23	4	92,0
500+696 - 500+721	SL	25	1,5	37,5

ODŚNIEŻANIE CHODNIKÓW - OBWÓD DROGOWY RZĄSAWA

Lokalizacja	Strona	Długość	Szerokość	Powierzchnia
-------------	--------	---------	-----------	--------------

		m	m	m2
DK-46				
gr. m. Częstochowa - m. Odrzykoń				
195+186 - 197+218	SP	2 063	1 - 3,5	2 518,0
196+992 - 197+216	SL	246	2 - 3,5	514,0
m. Olsztyn				
199+692 - 201+069	SP	1 362	2 - 3	3 025,0
199+650 - 201+039	SL	1 293	2 - 3	3 335,5
m. Janów				
212+384 - 213+508	SL	1 112	1,5 - 3	3 060,0
212+974 - 213+508	SP	503	2 - 6	1 804,0
DK-91c				
m. Kłomnice				
77+364 - 80+108	SP	2 744	1,5 - 4	5 318,4
77+904 - 80+104	SL	2 200	1,5 - 2	3 262,5
79+975	obiekt mostowy	x	x	1 000,0
m. Rudniki				
87+373 - 88+682	SP	1 230	1,2 - 2,65	2 285,3
87+743	obiekt mostowy	x	x	1 100,0
87+350 - 89+276	SL	1 015	1,2 - 1,5	1 451,7
m. Rędziny				
90+097 - 93+734	SP	3 487	1 - 3,5	7 131,0
89+296 - 93+734	SL	3 725	1 - 4	8 175,4

ODŚNIEŻANIE CHODNIKÓW - Obwód Drogowy w Lublińcu

Lokalizacja		Strona L / P	Długość m	Szerokość m	Powierzchnia m2
Początek	Koniec				

DK 11					
Sieraków Śląski					
523,000	523,530	L	530,0	1,5	795,0
523,330	523,364	P	34,0	1,5	51,0
523,480	523,530	P	50,0	1,5	75,0
523,530	523,559	L	29,0	1,5	43,5
523,559	523,804	L	245,0	1,5	367,5
523,571	523,826	P	255,0	1,5	382,5
523,821	523,935	L	114,0	1,5	171,0
523,846	523,873	P	27,0	1,5	40,5
523,935	524,110	P	175,0	3,0	525,0
524,110	524,225	P	115,0	2,5	287,5
524,225	524,341	P	116,0	1,5	174,0
524,353	524,685	L	332,0	1,5	498,0
524,688	524,698	P	10,0	4,5	45,0
524,693	524,749	P	56,0	1,5	84,0
524,700	524,768	L	68,0	1,5	102,0

DK 11					
Molna					
526,790	526,889	L	99,0	2,0	198,0
526,814	526,852	P	38,0	2,0	76,0

DK 11					
Ciasna					
529,525	529,715	L	190,0	1,6	304,0
529,732	529,900	P	168,0	2,0	336,0
529,750	529,807	L	57,0	2,0	114,0
529,807	530,130	L	323,0	3,0	969,0
529,900	530,300	P	400,0	1,5	600,0

DK 11					
Glinica					
533,974	534,745	P	771,0	1,5	1 156,5
533,990	534,187	L	197,0	1,6	315,2
534,201	534,379	L	178,0	1,6	284,8
534,391	534,677	L	286,0	1,6	457,6
534,687	534,756	L	69,0	1,6	110,4
534,783	534,924	L	141,0	1,6	225,6

DK 11					
Lubecko					
536,778	536,862	L	84,0	2,0	168,0
536,890	536,910	P	20,0	2,0	40,0

DK 11					
Lubliniec					
540,910	540,935	L / P	25	2,0	100,0
548,704	548,756	L	52,0	2,0	104,0
548,764	548,780	L	16,0	2,0	32,0

548,774	548,819	P	45,0	2,0	90,0
549,843	549,882	P	39,0	2,0	78,0
549,849	549,899	L	50,0	2,0	100,0
549,915	550,336	L	421	3,5	1473,5

DK 11

Tworóg

557,257	557,301	L	44,0	2,0	88,0
557,301	557,526	L	225,0	2,0	450,0
557,355	557,529	P	174,0	2,0	348,0
557,543	557,626	P	83,0	2,0	166,0
557,545	557,635	L	90,0	2,0	180,0

DK 11

Brynek

558,499	558,579	P	80,0	1,5	120,0
558,565	558,640	L	75,0	1,5	112,5
559,370	559,391	L	21,0	1,3	27,3
559,380	559,647	P	267,0	2,0	534,0
559,647	559,705	P	58,0	1,0	58,0
559,700	559,757	L	57,0	1,3	74,1

DK 11

Hanusek

561,145	561,214	P	69,0	1,7	117,3
561,214	561,226	P	12,0	1,7	20,4
561,219	561,280	L	61,0	2,0	122,0
561,629	561,717	L	88,0	1,8	158,4
561,702	561,768	P	66,0	2,0	132,0

DK 11

Boruszowice

562,263	562,658	L	395,0	2,0	790,0
562,342	562,405	P	63,0	1,5	94,5

DK 11

Tarnowskie Góry - Strzybnica

564,488	564,890	P	402,0	1,5	603,0
564,820	564,888	L	68,0	1,5	102,0
564,890	564,936	P	46,0	2,0	92,0
564,936	565,086	P	150,0	1,5	225,0
565,080	565,347	L	267,0	2,0	534,0
565,311	565,352	P	41,0	1,5	61,5
565,358	565,400	P	42,0	2,0	84,0
565,400	565,450	P	50,0	1,5	75,0
565,450	565,525	P	75,0	1,7	127,5
565,509	565,770	L	261,0	2,0	522,0
565,529	565,770	P	241,0	2,0	482,0
565,770	566,082	P	312,0	2,0	624,0
565,787	566,455	L	668,0	2,0	1 336,0
566,082	566,333	P	251,0	2,0	502,0
566,333	566,378	P	45,0	2,0	90,0
566,399	566,588	P	189,0	2,0	378,0
566,468	566,527	L	59,0	2,0	118,0
566,527	566,795	L	268,0	2,0	536,0
566,795	566,940	L	145,0	1,5	217,5
566,950	567,020	L	70,0	2,0	140,0
567,020	567,061	L	41,0	2,0	82,0
567,061	567,306	L	245,0	2,0	490,0

567,319	567,823	L	504,0	1,5	756,0
567,422	567,477	P	55,0	2,0	110,0
567,823	568,244	L	421,0	2,0	842,0
568,215	568,271	P	56,0	2,0	112,0
568,260	569,060	L	800,0	2,0	1 600,0
569,094	569,652	L	558,0	2,0	1 116,0

DK 11

Tarnowskie Góry

569,533	569,590	P	57,0	1,7	96,9
569,652	569,930	L	278,0	2,0	556,0
569,903	569,920	P	17,0	2,0	60,0
569,940	569,990	L	50,0	2,0	100,0
569,975	570,020	P	45,0	2,0	90,0
569,990	570,045	L	55,0	2,0	110,0
570,045	570,120	L	75,0	2,0	150,0
570,130	570,190	L	60,0	2,0	120,0
570,130	570,220	P	90,0	2,0	180,0
570,260	570,375	P	115,0	2,0	230,0
570,400	570,600	P	200,0	2,0	400,0
570,617	570,642	L	25,0	2,0	50,0
570,625	570,944	P	319,0	2,0	638,0
572,100	572,371	P	271,0	2,0	542,0
572,380	572,400	L	20,0	2,0	40,0
573,760	573,900	P	140,0	1,5	210,0
573,900	573,957	P	57,0	1,7	96,9
573,957	574,061	L	104,0	3,0	312,0
573,957	574,133	P	176,0	1,7	299,2
574,100	574,121	L	21,0	3,0	63,0
574,121	574,160	L	39,0	3,0	117,0
574,160	574,327	L	167,0	3,0	501,0
574,337	574,640	L	303,0	1,9	575,7
574,430	574,644	P	214,0	2,0	428,0
574,653	574,867	P	214,0	2,0	428,0
574,660	574,809	L	149,0	2,0	298,0
574,832	574,975	L	143,0	2,0	286,0
574,992	575,129	L	137,0	2,0	274,0
575,141	575,420	L	279,0	1,5	418,5
575,420	575,717	L	297,0	1,5	445,5

DK 46

Pawonków

147,230	147,520	L	290	3,0	870,0
147,516	147,526	P	10,0	1,9	19,0
147,554	147,708	P	154,0	1,9	292,6

DK 46

Lipie Śląskie

152,946	153,056	P	90,0	2,0	180,0
		P	50,0	2,0	100,0
		L	18,0	2,0	36,0
		L	7,0	4,0	28,0
		L	32,0	2,0	64,0
		L	112,0	2,0	224,0

DK 46 f

północna obwodnica m. Lubliniec

4,400	4,446	L	46	2,0	92,0
-------	-------	---	----	-----	------

4,446	4,700	L	254	1,5	381,0
4,532	4,600	L	68,0	2,0	136,0
4,597	4,660	P	63,0	2,0	126,0
4,700	4,745	L	45	3,0	135,0
4,940	5,840	L	900,0	3,0	2 700,0
4,940	5,840	P	900,0	3,0	2 700,0

DK 46

Kochanowice

161,740	162,095	L	355,0	1,5	532,5
162,095	162,140	L	45,0	1,5	67,5
162,650	162,660	L	10,0	1,9	19,0
162,650	162,677	P	27,0	1,9	51,3
163,078	163,100	L	22,0	2,0	44,0
163,088	163,344	P	256,0	1,7	435,2
163,128	163,500	L	372,0	1,7	632,4
163,357	163,855	P	498,0	1,7	846,6
163,500	163,665	L	165,0	1,7	280,5
163,855	164,000	P	145,0	1,7	246,5

DK 46

Lisów

165,688	165,725	P	37,0	1,7	62,9
165,639	165,710	L	71,0	1,7	120,7
166,570	166,700	P	130,0	2,0	260,0
166,620	166,701	L	81,0	2,0	162,0
166,700	166,791	P	91,0	2,0	182,0
166,701	166,791	L	90,0	1,0	90,0

DK 46

Herby

171,681	171,910	L	229	3,0	687,0
171,900	172,200	P	300	3,0	900,0
172,200	172,720	P	520	3,0	1560,0
172,720	173,030	P	310	3,0	930,0
172,933	173,047	L	114,0	2,0	228,0
173,047	173,210	L	163,0	2,0	326,0
173,064	173,210	P	146	3,0	438,0
173,230	173,604	P	374,0	2,0	748,0
173,230	173,616	L	386,0	2,0	772,0
173,626	173,957	L	331,0	2,0	662,0
173,974	174,420	L	446,0	2,0	892,0
174,424	174,580	L	156,0	1,5	234,0

DK 46

Pietrzaki

176,148	176,415	L	267,0	1,5	400,5
176,415	176,484	L	69,0	2,0	138,0

DK 46

Trzepizury

178,162	178,212	P	50,0	2,0	100,0
178,177	178,340	L	163,0	1,5	244,5

DK 46

Blachownia

179,822	180,000	L	178,0	2,0	356,0
---------	---------	---	-------	-----	-------

180,013	180,106	L	93,0	2,0	186,0
180,063	180,140	P	44,0	1,5	115,5
180,114	180,186	L	72,0	2,0	144,0
180,198	180,300	L	102,0	2,0	204,0
180,305	180,390	L	85,0	2,0	170,0
180,400	180,758	L	358,0	2,0	716,0
180,787	180,880	P	93,0	2,0	186,0
180,785	180,920	L	135,0	2,0	270,0
180,925	181,084	L	159,0	2,0	318,0
181,093	182,704	L	1611,0	2,0	3 222,0
182,728	182,921	L	193,0	2,0	386,0
182,928	182,971	L	43,0	2,0	86,0
181,946	181,997	P	51,0	2,0	102,0
182,617	182,700	P	83,0	2,0	166,0
182,979	183,171	L	192,0	2,0	384,0
183,163	183,300	P	137,0	2,0	274,0
183,191	183,425	L	234,0	2,0	468,0

DK 78

Tarnowskie Góry

73,127	73,516	P	389,0	2,0	778,0
73,530	73,857	P	327,0	2,0	654,0
73,867	73,948	P	81,0	2,0	162,0
75,050	75,130	L	80,0	1,5	120,0
75,561	75,704	P	143,0	1,5	214,5
75,720	75,919	P	199,0	1,5	298,5
76,010	76,180	P	170,0	2,0	340,0
76,210	76,333	P	123,0	2,0	246,0
76,509	76,535	P	26,0	2,0	52,0

ODŚNIEŻANIE CHODNIKÓW - Obwód Drogowy w Kłobucku

Lokalizacja		Strona L / P	Długość m	Szerokość m	Powierzchnia m2
Początek	Koniec				

DK 42

Parzymiechy

77,326	77,403	P	77,0	1,5	115,5
77,372	77,652	L	280,0	1,5	420,0
77,672	77,730	L	58,0	1,5	87,0

DK 43

Szarki

23,261	24,753	P	1492	3,0	4476,0
24,753	24,870	P	117,0	1,5	175,5
24,870	25,257	P	387,0	1,5	580,5

DK 43

Zajączki

25,257	25,300	P	43,0	1,5	64,5
25,295	25,340	L	45,0	1,5	67,5

DK 43 b					
Obwodnica m. Krzepice					
4,150	4,155	L	5,0	2,0	40,0
4,161	4,195	L	34,0	2,0	68,0
4,163	4,170	P	7,0	2,0	40,0

DK 43					
Iwanowice					
34,950	35,027	P	77,0	1,5	115,5
35,017	35,050	L	33,0	2,0	66,0

DK 43					
Opatów					
35,980	36,619	P	639	2,5	1597,5
36,650	36,860	P	210,0	2,0	420,0
36,747	36,860	L	113,0	2,0	226,0
36,870	36,944	L	74,0	2,0	148,0
36,870	37,062	P	192,0	2,0	384,0

DK 43					
Waleńczów					
39,990	40,039	L	49,0	2,0	98,0
40,038	40,076	P	38	2,5	95,0
40,076	40,107	P	31	2,0	62,0
40,107	40,692	P	585	2,5	1462,5
40,692	40,788	P	96	3,0	288,0
40,045	40,062	L	17,0	2,0	34,0
40,746	40,900	L	154	3,0	462,0
40,900	40,952	L	52	2,5	130,0
40,952	41,148	L	196	3,0	588,0
41,148	41,183	L	35	2,5	87,5
41,183	41,564	L	381	3,0	1143,0
40,795	41,480	P	685,0	2,0	1370,0
41,480	41,580	P	100,0	1,5	150,0
41,580	41,963	P	383,0	2,0	766,0
41,564	42,020	L	456	2,5	1140,0
42,020	42,134	L	114	3,0	342,0

DK 43					
Kłobuck					
44,403	44,430	L	27,0	2,0	54,0
44,446	44,476	P	30,0	2,0	60,0
45,735	45,818	P	83,0	2,0	166,0
45,670	45,990	L	320,0	3,0	960,0
45,990	46,070	L	80,0	2,0	160,0
46,028	46,080	P	52,0	2,0	104,0
46,080	46,238	P	158,0	2,0	316,0
46,105	46,238	L	133,0	2,0	266,0
46,255	46,475	L	220,0	2,0	440,0
46,255	46,475	P	220,0	2,0	440,0
46,515	46,575	L	60,0	2,0	120,0
46,515	46,718	P	203,0	2,0	406,0
46,615	46,718	L	103,0	2,0	206,0
46,732	46,902	L	170,0	2,5	425,0
46,737	46,864	P	127,0	2,0	254,0
46,880	46,900	P	20,0	2,0	40,0
46,900	47,100	P	200,0	3,0	600,0
46,950	47,123	L	173,0	2,0	346,0

47,100	47,123	P	23,0	2,0	46,0
47,123	47,190	L	67,0	2,5	167,5
47,123	47,190	P	67,0	2,0	134,0
47,205	47,334	L	129,0	2,0	258,0
47,205	47,473	P	268,0	2,0	536,0
47,344	47,500	L	156,0	2,0	312,0
47,494	47,562	P	68,0	1,5	102,0
48,156	48,207	L	51,0	2,0	102,0
48,220	48,282	P	62,0	2,0	124,0
48,220	48,475	L	255,0	1,5	382,5

DK 43

Libidza

50,915	51,104	L	189,0	2,0	378,0
51,128	51,165	L	37,0	2,0	74,0
51,143	51,266	P	123,0	2,0	246,0
51,283	51,334	P	51,0	2,0	102,0

DK 43

Gruszewnia

52,590	52,770	L	180,0	2,0	360,0
53,685	53,817	L	132,0	2,0	264,0
52,520	52,815	P	295	2,5	737,5
52,815	52,975	P	160	2,5	400,0
52,975	53,300	P	325	2,6	845,0
53,300	53,899	P	599	2,6	1557,4
53,899	54,340	P	441	2,6	1146,6

DK 43

Lgota

55,030	55,115	L	85,0	2,0	170,0
55,115	55,235	L	120,0	1,5	180,0
55,115	55,290	P	175,0	2,0	350,0

DK 43

Szarlejka

56,835	56,880	L	45,0	2,0	90,0
--------	--------	---	------	-----	------

ODŚNIEŻANIE CHODNIKÓW - OBWÓD DROGOWY RACIBÓRZ

Lokalizacja	Strona	Długość m	Szerokość m	Powierzchnia m ²
A4 MOP Proboszczowice	x	x	x	1818
A4 MOP Chechło	x	x	x	1849
DK 78a				
m. Chatupki				
0+000 - 0+820	SP	820	1,5	1230
0+820 skrzyż.	SL i SP	150	3	450

DK 78				
m. Olza				
4+340 - 4+900	SP	560	1,5	840
4+750 - 6+972	SL	2222	1,5	3333
6+070 - 6+170	SP	100	1,5	150
most Olza	SL i SP	500	1,5	750

DK 78				
m. Gorzyce				
6+950 - 9+510	SP	2560	1,5	3840
8+190 - 9+740	SL	1550	1,8	2790
9+740 - 10+340	SP	600	1,5	900
9+750 - 9+880	SL	130	2	260
10+330 - 11+630	SL	1300	1,5	1950
11+280 - 11+804	SP	524	1,5	786

DK 78				
m. Turza Śląska				
12+150 - 12+990	SP	840	1,5	1260
12+530 - 13+120	SL	590	1,5	885
13+500 - 13+530	SL	30	1,5	45
13+530 - 14+100	SP	570	1,5	855
14+020 - 14+100	SL	80	1,5	120

DK 78				
m. Wodzisław Śl.				
14+178 - 14+750	SL	572	2	1144
14+690 - 16+100	SP	1410	2	2820
15+550 - 16+100	SL	550	2	1100
16+100 - 16+600	SP	500	1,5	750
16+100 - 16+600	SL	500	1,5	750
16+640 - 17+300	SL i SP	1320	2,5	3300
17+400 - 17+800	SL i SP	800	1,5	1200
17+800 - 18+250	SP	450	1,5	675
17+800 - 19+200	SL	1400	3	4200
18+250 - 19+400	SP	1150	2	2300

19+220 - 19+900	SL	680	1,5	1020
19+650 - 19+800	SP	150	1,5	225

DK 78 m. Radlin				
20+390 - 21+545	SP	1155	2	2310
20+450 - 21+070	SL	620	1,5	930
21+100 - 21+545	SL	445	2	890
21+545 - 22+400	SP	855	1,5	1283
21+545 - 22+509	SL	964	1,5	1446

DK 78 m. Wilcza				
41+601 - 42+530	SP	929	2,1	1950,9
41+095 - 42+517	SL	1422	2,1	2986,2

DK 78 m. Nieborowice				
44+993 - 45+129	SP	136	2,1	285,6
44+943 - 45+070	SL	127	2,1	266,7
46+038 - 46+209	SL	171	2,1	359,1

DK 78 m. Czekanów				
63+157 - 63+491	SP	334	1,8	601,2
63+197 - 63+327	SL	130	1,8	234
63+495 - 63+550	SP	55	1,5	82,5
63+513 - 63+746	SL	233	1,8	419,4
Obiekt mostowy	SL	60	2	120

DK 45 m. Zabelków				
0+000 - 0+450	SL	450	1,5	675
0+630 - 0+800	SP	170	1,5	255

DK 45 m. Roszków				
3+120 - 4+000	SL	880	1,5	1320
3+650 - 3+710	SP	60	1,5	90
4+000 - 5+000	SP	1000	3	3000

DK 45 m. Krzyżanowice				
5+000 - 6+600	SP	1600	3	4800
6+050 - 6+670	SL	620	2	1240
6+700 - 6+850	SL	150	2	300
6+710 - 7+180	SP	470	1,5	705
7+190 - 7+750	SP	560	2	1120

DK 45 m. Tworków				
9+990 - 10+250	SP	260	2	520
11+772 skrzyż.	SL i SP	150	2	300

DK 45 m. Bieńkowice				
13+080 - 13+150	SL i SP	140	1,5	210
13+540 - 14+000	SP	460	1,5	690
13+730 - 14+300	SL	570	1,5	855

DK 45 m. Racibórz				
16+920 - 17+150	SL	230	1,5	345
17+220 - 17+270	SP	50	2	100
17+500 - 18+820	SL	1320	1,5	1980
17+885 - 18+870	SP	985	2	1970
19+020 - 19+040	SP	20	1,5	30
19+076 - 20+160	SL	1084	2	2168
20+150 - 20+300	SP	150	2	300
20+450 - 20+770	SP	320	2	640
20+470 - 20+550	SL	80	2	160
20+770 skrzyż.	SL	100	2	200
20+900 - 21+200	SP	300	1,5	450
20+935 - 21+100	SL	165	2	330
21+300 - 21+350	SP	50	2	100
21+550 - 21+600	SP	50	2	100
21+890 - 21+935	SL	45	2	90
22+050 - 22+120	SL	70	2	140
22+070 - 22+110	SP	40	2	80
22+200 - 22+490	SP	290	1,5	435
22+200 - 22+300	SL	70	1,5	105
22+500 - 22+666	SP	120	2	240
22+866 rondo	SL i SP	200	3	600
23+285 - 23+350	SP	65	2	130
23+950 - 24+835	SP	885	1,5	1328
25+650 - 25+850	SL i SP	140	2	280

DK 45 odc. Rudnik - Ponięćce				
29+040 - 29+190	SL i SP	100	1,5	150
31+610 - 31+810	SL	200	1,5	300
31+770 - 31+825	SP	55	1,5	83
33+400 - 33+550	SL i SP	100	1,5	150
34+600 parking	SL	140	1	140

ODŚNIEŻANIE CHODNIKÓW - Rejon Wysoki Brzeg

Lokalizacja	Strona	Długość m	Szerokość m	Powierzchnia m2
DK 44a				
m. Bieruń				
0+120	SP	40	1,8	72
5+180 - 10+480	SL i SP	7125	1,5 - 3	17916

DK81 m. Mikołów				
9+080 - 10+600	SL i SP	1500	1,5	3330
11+144 - 11+430	SP	290	2	636

DK81 m. Orzesze				
19+700 - 20+620	SL i SP	920	2,2	2418
21+180 - 26+540	SL i SP	5360	2,2	5420

DK 44 Gm. Gierałtówice				
8+440 - 10+315	SL i SP	1875	2	2016
11+360 - 14+070	SL i SP	2710	2	4350

DK44 m. Mikołów				
15+070 - 18+600	SL i SP	3530	2	7992
18+930 - 23+630	SL i SP	4700	2	10400
S1 m. Mysłowice				
549+300	przejście podz	40	7,6	304
550+500	ob.. Mostowy	120	3	360

DK 94 m. Sławków				
39+600	kładka dla pieszych	63	3	190

A-4 m. Zabrze				
321+357	w. Wspóna	754	2,3	1789
m. Ruda Śląska				
km.325+323	przejście podziemne - w. Wirek	172	2,0 - 6,5	484
km.325+538	w. Wirek	595	4	2544

km.330+122	ul. Oświęcimska	208	3,5	760
km.330+301	kładka - ul. Oświęcimska	146	3,1	551
m. Chorzów				
km.331+625	w. Batory	913	2	1369
m. Katowice				
km.334+965	w.Bocheńskiego	500	3	1411
km.335+520	przejście podziemne	245	3	1232
km.336+427	w.Mikołowska - kładka AWF	250	3	812
km.336+249	w.Mikołowska - przejście podziemne DK81	135	4	552
km.336+249	w.Mikołowska - ciąg piesi	447	2,3	1544
km.336+912	kładka ul. Barbary	70	2,8	196
km.337+095	ul. Kościuszki	porozumienie z m. Katowice		
km.337+512	ul. Wita Stwosza	201	4	830
km.338+587	kładka nad A4 - Górnośląska	381	3,3	1288

ODŚNIEŻANIE CHODNIKÓW - OBWÓD DROGOWY PSZCZYNA

Lokalizacja	Strona	Długość m	Szerokość m	Powierzchnia m ²
--------------------	---------------	---------------------	-----------------------	---------------------------------------

DK 1 m. Kobiór				
574+643 - 574+668	SP i SL	54	1,5	81

DK 1 m. Piasek				
579+790 - 579+798	SP i SL	29	1,9	55,1
580+575 - 580+619	SP i SL	22	2	44
581+555 - 581+577	SP i SL	59	2	118

DK 1 m. Pszczyna				
583+211 - 583+249	SP i SL	44	2	88
583+839 - 584+746	SL	861	1,5	1291,5
583+846	SP i SL	36	2	72
585+721	SP i SL	222	3,6	799,2
585+754 - 585+833	SP	78	1,8	140,4

DK 1 m. Goczałkowice Zdrój				
587+130 - 587+136	SP i SL	63	2,7	170,1
588+225 - 588+375	SP i SL	155	1,8	279
589+124	SP i SL	47	2,1	98,7

DK 1 m. Czechowice-Dziedzice				
590+954 - 590+980	SP i SL	92	1,8	165,6
592+061 - 592+150	SP i SL	140	2,1	294
593+955 - 593+965	SP i SL	101	1,8	181,8
595+018 - 595+041	SP i SL	24	3	72

S1 w. Bielsko-Biała Auchan				
604+644	SL i SP	300	2	600

S1 Bielsko-Biała Wapienica				
606+096	SL i SP	48	2	96

S1 w. Jasienica				
610+150	SL i SP	477	3	1431

S1 m. Świątoszówka				
612+460	SL i SP	224	2	448

S1 m. Grodziec Śląski				
613+576	SL i SP	82	2	164

S1 m. Pogórze				
616+426	SL i SP	117	2	234

S1 w. Brenna				
618+840	SL i SP	820	2	1640

S1 m. Międzywieć				
622+419	SL	65	2	130
622+685	SL i SP	297	2	594

S1 m. Ogrodzona				
627+256	SP i SL	92	2	184

S1 m. Gumna				
628+684	SP i SL	104	2	208

S1 w. Cieszyn Wschód				
629+163	SL i SP	505	2	1010

S1 m. Cieszyn				
630+996	SL i SP	140	2	280
632+074	SL i SP	110	2	220
632+770	SL i SP	112	3	336
633+185	SL i SP	96	2	192

S1 w. Cieszyn Zachód				
632+457	SL i SP	880	2	1760

DK 52 m. Kozy				
10+973 - 11+200	SP i SL	466	2	932

11+228 - 11+496	SP	268	1,5	402
11+496 - 11+581	SP	85	1,9	161,5
11+516 - 11+650	SL	134	2	268
11+581 - 11+686	SP	97	1,5	145,5
11+650 - 11+677	SL	27	1,3	35,1
11+686 - 11+702	SP	16	1,8	28,8
11+702 - 12+300	SP	522	1,5	783
12+305 - 12+344	SP	39	2	78
12+344 - 12+464	SP	120	1,5	180
12+464 - 12+610	SP	146	1	146
12+522 - 12+568	SL	46	2	92
12+610 - 12+849	SP	239	1	239
12+858 - 13+205	SP	347	1,5	520,5
13+212 - 13+257	SP	45	2	90
13+292 - 13+326	SP	30	1	30
13+332 - 13+353	SP	21	2	42
13+364 - 13+392	SP	28	1,5	42
13+389 - 13+437	SL	48	1,8	86,4
13+424 - 13+545	SP i SL	221	2	442
13+596 - 13+648	SL	52	2,7	140,4
13+613 - 13+933	SP i SL	367	2	734
13+707 - 13+741	SP	34	1,5	51
13+741 - 14+084	SP	328	2	656
14+090 - 14+478	SP	371	1,5	556,5
14+425 - 14+478	SL	53	2	106
14+483 - 14+508	SP	25	1,5	37,5
14+508 - 14+528	SP	20	2	40
14+528 - 15+319	SP	775	1	775
15+298 - 15+533	SP i SL	270	1,5	405
15+571 - 15+701	SP	111	1	111
15+713 - 16+012	SP	299	1,5	448,5

DK 52				
m. Bujaków				
16+018 - 16+088	SP	70	1	70
16+097 - 16+127	SP	30	1,5	45
16+127 - 16+837	SP	621	1	621
16+837 - 16+859	SP	22	1,8	39,6
16+859 - 17+013	SP	154	2	308
17+021 - 17+118	SP	97	1,5	145,5
17+047 - 17+816	SP i SL	1195	2	2390
17+816 - 17+824	SP	8	1	8
17+824 - 18+854	SP i SL	44	2	88

DK 52				
m. Kobiernice				
18+140 - 18+780	SP	640	1,5	960
18+833 - 18+938	SP	105	3,2	336
19+066 - 19+207	SP	141	2,7	380,7
19+828 - 19+956	SP	128	1,5	192

18+911 - 19+209	SL	159	2	318
19+248 - 20+006	SL	758	1,7	1288,6
19+426 - 19+441	SP	15	2	30

DK 52 m. Czaniec				
20+236 - 20+322	SP	86	1,8	154,8
20+331 - 20+419	SP	88	2,5	220
20+423 - 21+203	SP	772	2	1544
21+453 - 21+612	SP	159	1,5	238,5

DK 69 m. Wilkowice				
6+007 - 7+780	SL i SP	2023	1,5	3034,5
8+202 - 8+237	SL i SP	50	2	100

DK 69 m. Łodygowice				
12+591 - 12+716	SL i SP	130	2	260

DK/S 69 m. Żywiec				
18+557 - 18+646	SP	77	2	154
18+655 - 18+736	SP	81	1,5	121,5
18+736 - 18+747	SP	11	2	22
18+747 - 18+808	SP	61	1,5	91,5
18+602 - 18+624	SL	22	3	66
18+624 - 18+808	SL	184	2	368
1+427 - 1+530	SL i SP	188	1,5	282
21+428	SL i SP	130,5	522	68121

DK 69 m. Węgierska Górka				
27+656 - 29+718	SL i SP	2978	2	5956

DK 69 m. Zwardoń				
10+953	SL i SP	136	2,5	340
11+260	SL i SP	140	3	420

S69 m. Bielsko-Biała				
0+452 - 0+893	SL	441	2,5	1102,5
3+980	SL i SP	131	2	262
4+690	SL i SP	156	2	312
6+790	SL i SP	767	2	1534
8+638	SL i SP	123	2	246
10+288	SL i SP	117	2	234
11+081	SL i SP	880	2	1760

11+700	SP	115	4,5	517,5
--------	----	-----	-----	-------

DK 81 m. Warszowice				
36+100 - 36+283	SL	183	1,8	329,4
37+778 - 38+232	SP	454	2,5	1135
38+114 - 38+202	SL	88	1,8	158,4
39+182 - 39+230	SL	48	1,8	86,4
39+229 - 39+301	SP	72	1,8	129,6

DK 81 m. Pawlowice				
40+288 - 40+360	SP	72	2	144
40+352 - 40+442	SL	90	2	180
45+964 - 46+016	SL	52	1,8	93,6
46+132 - 46+167	SP	35	1,5	52,5

DK 81 m. Zbytków				
46+655 - 47+482	SL	827	2	1654
47+191 - 47+339	SP	148	1,5	222
47+370 - 47+609	SL	239	1,5	358,5

DK 81 m. Bąków				
48+845 - 48+883	SP	38	1,5	57
49+000 - 49+043	SL	43	1,8	77,4
50+675 - 50+747	SP	72	2,5	180
50+701 - 50+780	SL	79	1,8	142,2

DK 81 m. Drogomyśl				
53+116 - 53+157	SP	41	2,5	102,5
53+322 - 53+502	SP	180	2,2	396
53+344 - 53+540	SL	196	2	392
53+323 - 53+339	SL	16	2	32

DK 81 m. Ochaby				
55+280 - 55+337	SP	57	2,5	142,5
55+383 - 55+424	SL	41	1,8	73,8
56+570 - 56+672	SP	102	2,2	224,4
56+670 - 56+846	SL	176	2	352
56+639 - 56+670	SL	31	2,5	77,5
57+590 - 57+778	SP	188	1,8	338,4
57+794 - 57+867	SL	73	2	146

DK 81 m. Wiślica				
----------------------------	--	--	--	--

58+938 - 58+970	SL	32	1,5	48
-----------------	----	----	-----	----

DK 81				
m. Harbutowice				
63+522 - 63+648	SP	126	2,8	352,8
63+636 - 63+737	SL	101	2,5	252,5

ODŚNIEŻANIE CHODNIKÓW - OBWÓD DROGOWY WOJKOWICE KOŚCIELNE

Lokalizacja	Strona	Długość m	Szerokość m	Powierzchnia m2
DK 78				
m. Nakło Śląskie				
79+241 - 79+342	SL	101	1,8	181,8
79+245 - 79+628	SP	383	2,5	957,5
79+355 - 79+547	SL	192	1,8	345,6
79+558 - 79+588	SL	30	1,8	54
79+594 - 79+726	SL	132	1,8	237,6
79+655 - 80+077	SP	421	2,25	947,2
79+732 - 80+074	SL	342	1,8	615,6
80+082 - 80+286	SP	204	2	408
80+089 - 80+231	SL	142	2	284
80+238 - 81+004	SL	766	2	1532

DK 78				
m. Świerklaniec				
81+408 - 81+633	SP	225	2	450
81+645 - 81+170	SL	65	2	130
81+744 - 81+985	SL	241	2	482
81+871 - 82+038	SP	167	2	334
81+992 - 82+362	SL	370	2	740
82+850 - 82+958	SP	108	2	216
82+925 - 83+020	SL	95	2	190
84+685 - 84+811	SL	126	2	252

DK 78				
m. Niezdara_				
85+944 - 86+224	SP	280	2	560
86+423 - 86+620	SP	197	2	394
86+620 - 87+040	SP	420	2	840
87+052 - 88+053	SP	1001	2	2002

DK 78				
m. Tąpkowice				
88+065 - 88+240	SP	175	2	350
88+065 - 88+250	SL	185	2	370
88+257 - 88+644	SL	387	2	774
88+257 - 88+470	SP	213	2	426
88+750 - 89+290	SL	540	2	1080
88+586 - 89+290	SP	704	2	1408

DK 78				
m. Celiny				
91+815 - 91+890	SL	75	2	150

91+915 - 92+097	SP	182	2	364
91+903 - 92+367	SL	464	2	928

DK 78 m. Nowa Wieś				
94+300 - 94+357	SL	57	2	114
94+300 - 95+309	SP	1009	1,9	1917,1

DK 78 n. Mierzęćice - Przeczyce				
95+319 - 96+985	SP	1666	1,9	3165,4
96+243 - 96+985	SL	742	2	1484
97+000 - 97+036	SP	36	1,9	68,4
97+036 - 97+819	SP	783	1,5	1174,5
97+849 - 99+178	SP	1329	1,5	1993,5

DK 78 m. Boguchwałowice				
99+924 - 100+241	SP	317	2	634
100+269 - 100+429	SP	160	2	320

DK 78 m. Poręba				
109+421 - 110+494	SP	1073	2,2	2360,6
110+512 - 112+034	SP	1522	2,2	3348,4
111+088 - 111+156	SL	68	2	136
112+120 - 112+480	SP	360	2,3	828
112+300 - 113+029	SL	729	2,3	1676,7
112+492 - 112+694	SP	202	2,4	484,8
112+702 - 112+923	SP	221	2,4	530,4
112+933 - 113+371	SP	438	2,4	1051,2
113+061 - 113+483	SL	422	2,3	970,6
113+283 - 113+315	SP	32	2,4	76,8
113+334 - 113+865	SP	531	2,4	1274,4
113+600 - 114+045	SL	445	2,3	1023,5
114+060 - 114+524	SL	464	2,3	1067,2
114+529 - 115+045	SL	516	2,3	1186,8
115+057 - 115+235	SL	178	2,3	409,4
115+110 - 115+198	SP	88	2	176
115+213 - 116+627	SP	1414	2	2828
116+641 - 117+199	SP	558	2	1116

DK 78 m. Zawiercie				
118+384 - 118+669	SP	321	1,5	481,5
118+432 - 118+669	SL	237	1,5	355,5
118+680 - 118+894	SL	214	2	428
119+172 - 119+223	SP	51	2	102
119+161 - 119+227	SL	66	2	132

DK 94 m. Czeladź				
14+230 - 14+917	SP	687	2	1374
14+240 - 15+000	SL	760	2	1520
14+957 - 15+355	SP	398	2	796
15+117 - 15+700	SL	583	3	1749
15+410 - 15+700	SP	290	3	870
15+728 - 15+924	SP	196	2	392
15+728 - 16+075	SL	347	2	694
15+947 - 16+060	SP	113	2	226
16+080 - 18+050	SP	1970	2	3940
16+200 - 16+340	SL	140	2	280
18+085 - 18+360	SP	275	2	550
ka dla pieszych km 15+889				600

DK 86 m. Wojkowice Kościelne				
1+600 - 1+860	SP	260	2	520
1+588 - 1+972	SL	384	2	768
kt Węzeł Grodziec km 12+915				150

DK 1 m. Brudzewice				
511+849 - 511+882	SP	33	2	66

DK 1 m. Siewierz				
516+796 - 517+026	SP	230	2	460
516+796 - 517+026	SL	230	2	460
517+049 - 517+265	SL	216	2	432
518+321 - 518+417	SL	96	2	192

DK 1 m. Podwarpie				
521+571 - 521+636	SP	65	2	130
521+408 - 521+636	SL	228	2	456

S-86 m. Sosnowiec				
18+075 - 18+900	SL	825	2	1650
18+660 - 18+900	SP	240	2	480
18+920 - 18+470	SL	550	2	1100
18+920 - 19+470	SP	550	2	1100
19+545 - 19+760	SL	215	2	430
19+545 - 20+015	SP	470	2	940
kt Węzeł "Grota Roweckiego"				580
+278 kładka dla pieszych				260
dukt węzeł "Baczyńskiego"				680

+148 kładka dla pieszych			420
--------------------------	--	--	-----

S-86				
m. Katowice				
21+470 - 23+260	SP	1790	2	3580
21+495 - 21+805	SL	310	2	620
22+200 - 23+954	SL	1754	2	3508
23+490 - 23+954	SP	464	2	928
Węzeł "Haller"				980
Węzeł "Agata"				540